


# Dial Caliper


## Series 505

This dial caliper offers you the following benefits:

- A titanium coating is applied to the sliding surfaces to give you enhanced durability.



505-683




505-688

### Metric

No.	Range [mm]	Graduation	Accuracy	Sliding titanium coated	L [mm]	a [mm]	b [mm]	c [mm]	d [mm]	Mass [g]
505-683	0-150	0,02 mm. 2 mm/rev	±0,03 mm		231	40	21	16,5	16	175
505-685	0-150	0,01 mm. 1 mm/rev	±0,02 mm		231	40	21	16,5	16	176
505-688	0-150	0,01 mm. 1 mm/rev	±0,02 mm		231	40	21	16,5	16	176
505-684	0-200	0,02 mm. 2 mm/rev	±0,03 mm		288	50	24,5	20	16	185
505-686	0-200	0,01 mm. 1 mm/rev	±0,03 mm		288	50	24,5	20	16	186

505-688: Without thumb roller



Functions	Series 505
Locking screw	

### Specifications

Accuracy	Refer to the list of specifications
Depth bar	flat
Delivered	In a case

### Optional accessories

No.	Description
050083-10	75 base for depth measurement for models up to 200
050084-10	100 base for depth measurement for models up to 200
050085-10	125 base for depth measurement for 300 models



Titanium coating