


Blade Caliper

Series 573

These blade calipers have thin measuring jaws. They offer you the following benefits:


- The thin blade-type jaws fit into very small grooves making it much easier for you to obtain many previously difficult outside measurements.
- The outside measuring faces are carbide.




573-635

Metric

No.	Range [mm]	Accuracy	Thumb roller	Mass [g]
573-634	0-150	±0,02 mm		168
573-635	0-150	±0,02 mm		168



Series 536



536-134

Metric

No.	Range [mm]	Accuracy	L [mm]	a [mm]	b [mm]	c [mm]	d [mm]	e [mm]	Mass [g]
536-134	0-150	±0,05 mm	229	20	40	0,75	16	3	140
536-135	0-200	±0,05 mm	286	25	50	0,75	16	3	180
536-136	0-300	±0,08 mm	403	30	64	1	16	3,8	420

Functions	Series 573
ORIGIN (ABS-Zero)	
Auto Power OFF after 20 min. non use	
Low voltage alarm	
Data output	

Specifications

Accuracy	Refer to the list of specifications (excluding quantizing error)
Max. response speed	Unlimited
Digital step	0,01 mm
Battery life	approx. 15000 hours
Display	LCD, Character Height 7,5 mm
Delivered	In a case, including 1 battery

Optional accessories

No.	Description
05CZA624	Digimatic cable with data switch (1 m)
05CZA625	Digimatic cable with data switch (2 m)
02AZD790A	Connecting cable U-Wave with data switch
06ADV380A	USB Input Tool Direct cable (2 m)

Consumable spares

No.	Description
938882	Battery SR44



Specifications

Accuracy	Refer to the list of specifications
Graduation	0,05mm
Delivered	In a case

